




# Historical Aerial Photography Published 1948 Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was rechecked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

# Map Name(s) and Date(s)



# Historical Aerial Photography - Slice A



# **Order Details**

 Order Number:
 181972336\_1\_1

 Customer Ref:
 18.10.006

 National Grid Reference:
 514120, 165400

 Slice:
 A

 Site Area (Ha):
 64.62


 Search Buffer (m):
 500

# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ







Geotechnical and Geoenvironmental Consultants


# **Ordnance Survey Plan** Published 1961 - 1962 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)

TQ16NW TQ16NE 1962 | 1962 1:10,560 1:10,560 1 - 1 TQ16SW TQ16SE 1961 1961 | 1962 1:10,560 | 1:10,560 1 1 Т

# **Historical Map - Slice A**



## **Order Details**

Order Number: Customer Ref: National Grid Reference: 514120, 165400 Slice: Site Area (Ha): Search Buffer (m):


181972336\_1\_1 18.10.006 Α 64.62 500


# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ



Tel: Fax: Web:





## Geotechnical and Geoenvironmental Consultants


# **Ordnance Survey Plan** Published 1974 - 1976 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)

TQ16NW TQ16NE 1975 I 1976 1:10,000 1:10,000 I 1 TQ16SW TQ16SE 1975 | 1974 1:10,000 | 1:10,000 Ĩ 1 Т

# **Historical Map - Slice A**



## **Order Details**

Order Number: Customer Ref: National Grid Reference: 514120, 165400 Slice: Site Area (Ha): Search Buffer (m):

181972336\_1\_1 18.10.006 А 64.62 500

# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ







## Geotechnical and Geoenvironmental Consultants


# Ordnance Survey Plan Published 1983 - 1987 Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.














# **10k Raster Mapping** Published 1999


# Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

# Map Name(s) and Date(s)



# **Historical Map - Slice A**



# **Order Details**

Order Number: Customer Ref: National Grid Reference: 514120, 165400 Slice: Site Area (Ha): Search Buffer (m):

181972336\_1\_1 18.10.006 Α 64.62 500

# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ








# **10k Raster Mapping** Published 2006


# Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

# Map Name(s) and Date(s)



# Historical Map - Slice A



# **Order Details**

Order Number: Customer Ref: National Grid Reference: 514120, 165400 Slice: Site Area (Ha): Search Buffer (m):


181972336\_1\_1 18.10.006 Α 64.62 500

# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ







Geotechnical and Geoenvironmental Consultants

# **VectorMap Local** Published 2018 Source map scale - 1:10,000


VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

# Map Name(s) and Date(s)

   	TQ16 2018 Varia	   	TQ1 2018 Varia		-     
-   	– 2018 Varia	 1	TQ1 2018 Varia	3	- 1 1

# **Historical Map - Slice A**

- - - -- -



# **Order Details**

 
 Order Number:
 181972336\_1\_1

 Customer Ref:
 18.10.006

 National Grid Reference:
 514120, 165400
 Slice: Site Area (Ha): Search Buffer (m):

А 64.62 500

# Site Details

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ



# Geology 1:50,000 Maps Legends

### **Artificial Ground and Landslip**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene

## **Superficial Geology**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand And Peat	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	KPGR	KEMPTON PARK GRAVEL MEMBER	Sand and Gravel	Not Supplied - Devensian
	LASI	Langley Silt Member	Clay and Silt	Not Supplied - Devensian
	TPGR	TAPLOW GRAVEL MEMBER	Sand and Gravel	Not Supplied - Wolstonian
	BPGR	Black Park Gravel Member	Sand and Gravel	Not Supplied - Anglian
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary

## **Bedrock and Faults**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CLGB	Claygate Member	Sand, Silt and Clay	Not Supplied - Ypresian
	BGS	Bagshot Formation	Sand	Not Supplied - Ypresian
	LC	London Clay Formation	Clay and Silt	Not Supplied - Ypresian




#### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps. The various geological layers - artificial and landslip deposits, superficial

geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

#### Geology 1:50,000 Maps Coverage Map ID:

Map Dice No: 270 Map Name: South I Map Date: South I Map Date: 1998 Bedrock Geology: Availab Superificial Geology: Availab Artificial Geology: Availab Rock Segments: Not Sup	le le le splied le
Geology 1:50,000 N	Maps - Slice A
Order Details: Order Number: Customer Reference: National Grid Reference: Slice: Site: Stera (Ha): Search Buffer (m):	181972336_1_1 18.10.006 514120, 165400 A 64.62 500
Site Details: The Jockey Club, Sandown F	Park, Portsmouth Road, ESHER, KT10 9AJ
Landmark • INFORMATION GROUP v15.0 04-Oct-2018	<sup>8</sup> Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk Page 1 of 5





#### Artificial Ground and Landslip

Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.


#### Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
  Worked ground - areas where the ground has been cut away such as
- Worked ground areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.

Landscaped ground - areas where the surface has been reshaped.
 Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.






# Order Details: Order Number: 181972336\_1\_1 Customer Reference: 18.10.006 National Grid Reference: 514120, 165400 Silce: A Site Area (Ha): 64.62 Search Buffer (m): 500 Site Details: The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ

 
 Landmark
 Tel: Fax:
 0844 844 9952 0844 844 9951

 • INFORMATION GROUP
 Web:
 Web:

 v15.0
 04-Oct-2018
 Pai



**LISTERS**GEO Geotechnical and Geoenvironmental Consultants


#### Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A




#### **Order Details:** 181972336\_1\_1 18.10.006 514120, 165400 Order Number: Customer Reference: National Grid Reference: Slice: A 64.62 Site Area (Ha): Search Buffer (m): 500

#### Site Details:

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ

0844 844 9952 0844 844 9951 Tel: Fax: Web: Landmark www.envirocheck.co.uk ● ● ■ INFORMATION GROU v15.0 04-Oct-2018





#### **Bedrock and Faults**


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

**Bedrock and Faults Map - Slice A** 



**Order Details:** Order Number: Customer Reference:


181972336\_1\_1 18.10.006 514120, 165400 National Grid Reference: A 64.62 Site Area (Ha): Search Buffer (m): 500

## Site Details:

Slice:

The Jockey Club, Sandown Park, Portsmouth Road, ESHER, KT10 9AJ

0844 844 9952 0844 844 9951 Tel: Fax: Landmark Web www.envirocheck.co.uk v15.0 04-Oct-2018





#### **Combined Surface Geology**

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


#### Additional Information


More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

#### Contact

British Geological Survey Kingsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@bgs.ac.uk website: www.bgs.ac.uk







#### 0844 844 9952 0844 844 9951 Tel: Fax: Web: Landmark www.envirocheck.co.uk INFORMATION GR v15.0 04-Oct-2018