

# T4 ECOLOGY LTD

ECOLOGY CONSULTANCY SERVICES, MALDON, ESSEX



## **Preliminary Ecological Appraisal Incorporating Bat Survey Inspection**

Oldfield House

John Lyon School

Middle Road

Harrow-on-the-Hill

HA2 0HN

**Prepared for:**

John Lyon School

**December 2018**

## **T4ecology Ltd**

2, Elizabeth Way  
Heybridge  
Maldon  
Essex  
CM9 4TG

Tel: 07546 946715

Email: [Info@train4ecology.co.uk](mailto:Info@train4ecology.co.uk)

Web: [www.t4ecology.eu](http://www.t4ecology.eu)

### **Report Reference MH917 Version 1-Dated 14/12/18**



Peter Harris Bsc (hons) MCIEEM

**This report is for the sole use of the client John Lyon School. No liability is accepted for conclusions/actions by any third party. All rights reserved T4 ecology Ltd 2018.**

## 1. Survey Finding and Recommendations Summary

The statutory designation search undertaken as part of the desk study identified that the site is not situated within nor bounding any statutory or non-statutory designated locations. It is not considered that the proposal would have any adverse impact upon statutory and non-statutory designated locations.

In summary, the wider John Lyon School (and proposed development area) is an operational school situated in a predominately sub-urban, developed location, and is therefore subject to management and disturbance as would be typically expected in such a land-use context. The development area is dominated by the existing Oldfield House building, hardstanding and short sward, managed amenity lawn.

The Oldfield House building is considered to present a negligible level of bat roosting potential. Further surveys are considered to be neither necessary nor appropriate in respect of this building.

1 x tree (TN1) weeping willow requires removal as part of the proposal. Given the bat roosting potential presented by this tree following the ground up inspection undertaken, it is recommended that in order to fully determine potential suitability as a bat roost and to advise upon any further survey works as may or may not be necessary, TN1 weeping willow should be subject to climbing inspection by a licenced climbing ecologist.

No other tree loss would be required to implement the proposal, and it is reasonable to conclude that bat behaviours would be unaffected by the proposal given the scope of tree retentions therein. However, as an appropriate precautionary and enhancement recommendation, it is advised that a bat considerate lighting strategy be utilised during the implementation and operational phases.

Further recommendations have been provided in section 5.2.

It is not considered reasonably likely that reptile or great crested newt species would be adversely affected by the development proposals.

No active or inactive badger setts were found, with no evidence of badger activity identified. No surveys have been advised. However, general appropriate precautionary measures for the demo/construction phases have been advised in section 5.2.

Appropriate recommendations in respect of due diligence relating to nesting birds and ecological enhancements have been made in section 5.2 of the report.

It is considered and concluded that the proposal can proceed without adverse impacts upon legally protected/priority species and habitats provided the specific mitigatory guidance and enhancement recommendations identified within section 5.2 are fully adhered to. Where necessary, appropriately worded conditions should be placed upon any consent granted in order to ensure appropriate measures are followed.

## Contents

1. Survey Finding and Recommendations Summary.....	3
2. Introduction.....	6
2.1. Phase 1 Brief.....	6
2.2. Bat Survey Brief.....	6
2.3. Development Proposals & Planning Context.....	6
2.4. Scope of Survey.....	7
3. Methodology.....	8
3.1. Phase 1 Habitat Survey.....	8
3.1.1. Phase 1 Survey Timings and Conditions.....	8
3.2. Desktop Study & Records Search.....	9
3.2.1. Historical Protected Species Data.....	9
3.2.2. Designations.....	9
3.2.3. Additional Information.....	9
3.3. Bat Survey Methodology.....	9
3.3.1. External/Internal Inspection.....	9
4. Results.....	11
4.1. Desk study Results.....	11
4.1.1. Magic-Statutory Designations.....	11
4.1.2. Local Wildlife Sites-Non-Statutory Designations.....	11
4.1.3. Biological Records.....	12
4.2. Survey Results & Analysis.....	13
4.2.1. Site & Surroundings Description & Habitats.....	13
4.3. Potential for Protected Species Impact with Proposals.....	14
4.3.1. Bats & Internal/External Inspections.....	14
4.3.2. Badgers.....	15
4.3.3. Nesting Birds.....	15
4.3.4. Reptiles.....	15
4.3.5. Great Crested Newt.....	16
4.3.6. Hazel Dormouse.....	17
4.3.7. Invertebrates.....	18
4.3.8. Other Species.....	18
4.3.9. General Wildlife & Biodiversity.....	18

5. Conclusion & Recommendations .....	19
5.1 Conclusion .....	19
5.2 Recommendations and Further Action .....	19
1. Annex 1 – Legislation & Planning Policy.....	22
1.1. Habitat Regulations.....	22
1.2. Wildlife & Countryside Act .....	22
1.3. Natural Environment & Rural Communities Act .....	22
1.4. National Planning Policy Framework (NPPF) .....	22
1.5. Biodiversity Action Plans.....	22
1.6. Local Development Plans.....	23
1.7. Natural England Standing Advice .....	23
2. Annex 2 – Photographs.....	25
3. Annex 3 – Phase 1 Habitat Plan.....	34
4. Annex 4 – Recommended Enhancements .....	36

## **2. Introduction**

### **2.1. Phase 1 Brief**

T4 Ecology Ltd was commissioned by The John Lyon School to undertake an ecological assessment of land including and located adjacent to Oldfield House, John Lyon School, Harrow-on-the-Hill.

This report contains the findings of a Preliminary Ecological Appraisal-PEA. The Purpose of a PEA is to identify the potential for presence of protected species on a site, in line with European legislation, UK law and the requirements of The National Planning Policy Framework (NPPF) (2012). The brief of the ecological survey was to assess the habitats found on site and identify the potential for presence on site of protected species.

The site-based element is supported by a desktop study undertaken to identify presence of Statutory/National/Local designations or protected species within the vicinity (up to a 5KM radius) of the site. The final part of the project brief was to identify and make recommendations as appropriate for any further surveys required to determine presence/absence of protected species on site if the survey determined that presence of a protected species on site was considered to be reasonably likely.

### **2.2. Bat Survey Brief**

In addition, this report also contains the results of a Preliminary Roost Assessment (PRA) undertaken at the same time as the PEA, comprising an internal/external inspection of the existing building/s. Bats are a strictly protected species under European Legislation. In this regard, given presence of buildings where demolition/alteration works are proposed, the inspection was undertaken in order to meet the specific requirements of the legislation to inform design, mitigation and if appropriate, European Protected Species License Applications.

### **2.3. Development Proposals & Planning Context**

Proposals are for the construction of a new classroom block and demolition of the existing Oldfield House building.

The following proposal plans/reports have been viewed:

- Proposed Layout Plan
- Phase II Arboricultural Impact Assessment (AIA) (Ref. 101 259) – Arbol Euro Consulting.

Given availability of proposal plans and associated documentation, it was possible to undertake an assessment of any potential impacts resultant from the specific proposal and recommend further works/appropriate mitigation as appropriate in section 5.2 of this report.

## **2.4. Scope of Survey**

The purpose of this report is to provide an independent opinion of the likely presence of protected species on a site to inform the client of their obligations, and to assist the Local Planning Authority (LPA) in their determination of a planning application.

It should be noted that whilst every effort has been made to provide a comprehensive description of the site, no investigation could ensure the complete characterisation and prediction of the natural environment. This PEA does not constitute a full botanical survey or a Phase 2 preconstruction survey for Japanese Knotweed. In this regard, this survey provides a preliminary view of the likelihood of protected species occurring on site, based on the suitability of the habitat and any direct evidence on site. Additional surveys may be required if it is considered reasonably likely a protected species may be present.

The survey presents a snapshot in time, and therefore makes an assessment purely of what was seen at the time the survey was undertaken. The PEA does not therefore make any retrospective analyses.

### **3. Methodology**

#### **3.1. Survey**

Habitats on site were recorded in accordance with the general principles and methods provided in the Handbook for Phase 1 Habitat Survey, JNCC 1993. The survey methodology involves undertaking a site visit to gain an understanding of the site ecology and surrounding characteristics. During the site visit the recording and mapping of habitat types and ecological features present on site is undertaken, including the identification of the main species present. The potential for presence of protected species is assessed as part of the overall methodology, and further advice/surveys recommended as considered appropriate based on the evidence obtained.

The survey works were undertaken in accordance with Guidelines for Preliminary Ecological Appraisal produced by the Chartered Institute of Ecology and Environmental Management (CIEEM) in December 2017.

Methods are also in accordance to the general principles contained within British Standards Institute (BSI) BS42020 – Biodiversity-Code of Practice for Planning & Development.

A habitat plan is included as Annex 3. Photographs are included within Annex 2.

##### **3.1.1. Survey Timings and Conditions**

The survey was undertaken by Consultant Ecologist Peter Harris BSc (hons) MCIEEM on the 19<sup>th</sup> November 2018. Weather conditions were rain showers and 100% cloud cover and an ambient air temperature of 9°C.

Peter Harris is a full member of the Chartered Institute of Ecology & Environmental Management (CIEEM). The surveyor is licenced by Natural England for surveying great crested newts. The surveyor is an ecologist with over 12 years of experience, and has been involved in a wide range of projects from single dwelling developments to large strategic urban renewal schemes subject to full Environmental Impact Assessment (EIA).

As an ecologist for over 12 years, Peter has obtained significant experience in respect of a wide range of protected and priority species. Species worked with include reptiles (surveys/mitigation), great crested newt (surveys/mitigation), badger (surveys/mitigation/licencing), dormouse (surveys) and bat, encompassing a wide range of survey and monitoring techniques. These include internal/external inspections/Preliminary Roost Assessment (PRA), in addition to involvement with successful bat mitigation license applications working in conjunction with specialist organisations.



## **3.2. Desktop Study & Records Search**

To gain an understanding of any designations on/around the site in addition to the historical presence of protected species, desktop data has been obtained from the following sources:

### **3.2.1. Historical Protected Species Data**

Records were requested from Greenspace Information for Greater London (GIGL) for records of protected/priority species within a 2km radius of the site.

GIGL also provided information in respect of non-statutory designated locations within the search radius.

Use of data is in accordance with CIEEM Guidelines for Accessing & Using Biodiversity Data, March 2016.

### **3.2.2. Designations**

A desktop study was undertaken through MAGIC (Multi-Agency Geographic Information System for Countryside). The search looked to identify the presence of statutory designated sites within a 5km radius (e.g. Special Areas of Conservation (SACs), Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR) and Local Nature Reserves (LNR).

### **3.2.3 Additional Information**

Freely available on-line mapping information and Ordnance Survey Maps were consulted as part of the background assessment.

## **3.3. Bat Survey Methodology**

The PRA was undertaken employing methods based on the guidance described in the Bat Workers' Manual, English Nature's Bat Mitigation Guidelines and updated Bat Conservation Trust Bat Surveys Guidelines for Professional Ecologists (2016).

However, the first page of all three editions includes the following: *The guidelines should be interpreted and adapted on a case-by-case basis according to site-specific factors and the professional judgement of an experienced ecologist. Where examples are used in the guidelines, they are descriptive rather than prescriptive.*

Surveyors are expected to make judgements in respect of methodology appropriate to the survey conditions/evidence noted, and make conclusions based upon experience.

### **3.3.1 External/Internal Inspection**

The first section of the survey involved an external inspection of the external surfaces of the buildings to identify any features that could be potentially be utilised by bats for roosting purposes. Such features may include small gaps and openings in brick work/roof structure, broken or missing tiles, or gaps in the soffits. During the external inspection, the buildings were also examined for key indicators of bat activity, such as

droppings/staining in areas such as window ledges, walls other suitable external structural features.

The second section of the survey involved an inspection of internal areas of the buildings where safe access was possible. The purpose of the inspections was to identify whether there is any evidence of bat activity/roosting. Again, indicators of evidence such as droppings, fur deposits, scratching and staining were searched for, in addition to features such as insect remains that may have been brought into a building by a bat. In addition, issues such as structural integrity of the buildings, and whether the building has structural features such as enclosed/hidden roof spaces are taken into account.

An assessment of any vegetation potentially affected by the development proposals was also undertaken where appropriate.

## 4. Results

### 4.1. Desk study Results.

Record searches are by no means exhaustive, and certain species including reptiles and great crested newt are under recorded nationally. In addition, many of the records can be considered too old or may be unverified. However, the records provide an indication of the species of note historically found.

#### Site Details

- The site is located at Central Grid Reference: TQ 14940 87130
- Postcode: HA2 0HN

#### 4.1.1. Magic-Statutory Designations

The search identified that the site is not directly located within nor bounding a statutory designation. The following statutory designated locations are situated within a 5km radius of the site:

- Grove Farm Local Nature Reserve (LNR) – Approx. 2km south.
- Perivale LNR – Approx. 3.8km south west.
- Litten Nature Reserve LNR – Approx. 4.3km south.
- Northolt Manor LNR – Approx. 3.5km south west.
- Islip Manor LNR – Approx. 4.0km south west.
- Ruislip LNR – Approx. 4.9km west.
- Masons Field LNR – Approx. 4.5km east.

#### 4.1.2. Local Wildlife Sites-Non-Statutory Designations

Sites of Interest for Nature Conservation (SINC) are used in the planning system to protect areas that have substantive nature conservation value at a local level.

The site is neither situated within, nor bounding any SINC locations. The closest SINC location comprises:

- Harrow-on-the-Hill – Borough Grade I SINC – 0.4km north / 0.5km east.

## Impact Assessment

The proposed development is wholly situated within an active, operational school subject to land use, disturbance and management as would be expected in such a location (see section 4.2). Consequently, it is not considered reasonably likely that the proposal would result in adverse impacts upon the above listed statutory and non-statutory designated locations.

### **4.1.3. Biological Records**

The records have been analysed as part of the desk research and considered as part of the conclusions and subsequent recommendations of this report. A summary of records pertinent to the site is provided below:

#### Great Crested Newt/Amphibian

No records were available in respect of great crested newt.

The search identified 3 records for common toad and 15 records for common frog. All of the records date from 2007 and are in respect of a location situated 207m southwest of site.

#### Reptile

The search identified 14 records for slow worm, 3 records for grass snake and 2 records in respect of common lizard. All of the records date from 2007 and are in respect of a location situated 207m southwest of site.

#### Bats

The search identified the following records in respect of bat species:

<b>Species</b>	<b>No. Records</b>	<b>Date</b>	<b>Closest to site</b>
Daubenton's	1x Record	2011	427m east
Pipistrelle sp.	1x Record	2000	587m north east
C. Pipistrelle	3x Records	2017	163m north east
Bat species.	1x Record	2000	587m north east

## **4.2. Survey Results & Analysis**

### **4.2.1 Site & Surroundings Description & Habitats**

The John Lyon School is situated in a developed, suburban area of Harrow-on-the-Hill.

To the north, the wider school site is bounded by Lower Road, with managed, maintained sports pitches situated on the opposing side of the road. A mixture of residential development bounds the wider school site to the east, west and south, with Middle Road running along the southern perimeter of the main school site.

The John Lyon School is an operational school situated in a predominately sub-urban developed location, and is therefore subject to management and disturbance as would be typically expected in such a land-use context.

Broadly, the main school buildings are situated in the south of the site, with the northern section of the school comprising short sward, maintained amenity grass sports and playing field. The areas around the school building comprise a mixture of hard standing surfaces (road/path/parking) with occasional trees and planting beds scattered around a predominately managed landscape.

The proposed development area (and main survey area) is situated to the east of the main school building. The topography of the development area slopes downwards from south to north west, and has been subject to significant engineering and levelling in the past. The development area is entered from the south east, leading to a barrier controlled hard standing parking area. The parking area is located to the south west of Oldfield House which is a two-storey building of 1981 construction situated in the south east of the development site. The building is described further in section 4.3.1.

To the south east of Oldfield House is a landscape garden area situated on a bank. The bank is dominated by short sward, managed lawn grass, interspersed with managed shrubs including privet and cherry laurel.

To the north and east of the building, the proposed development area comprises tarmac hard standing and short sward, managed amenity grass.

Trees are situated on the boundaries of development area, with species noted including cypress, weeping willow, yew, sycamore and lime, many of which appear to be subject to ongoing and maintenance works as would be expected in a school setting. Main boundaries are formed by a brick wall to the south and by a combination of metal post and mesh fencing.

### **4.3. Potential for Protected Species Impact with Proposals**

The site was assessed for the potential presence of protected species that may have a material impact upon the development proposals.

The ecological value of the site in respect of the potential presence of and impact upon protected species is considered further in the following sections:

#### **4.3.1. Bats & Internal/External Inspections**

All bat species are strictly protected under the Wildlife and Countryside Act 1981 and the Conservation Regulations (Habitat Regulations).

The locations of buildings described are illustrated on the plan contained within Annex 3.

#### Oldfield House

Oldfield House comprises a brick built two storey building constructed in 1981. The building is situated in a south west to north east delineation with a main tiled apex roof, with a skylighted section in the north eastern corner of the roof which provides daylight to the second-floor lobby on the eastern side.

The external inspection identified that the building is in a good state of repair, with intact brickwork and with no gaps or openings around the metal window and door frames. In addition, tiles were present and intact forming a tight seal on the roof/between brickwork and roof. The soffit, associated metal guttering and row of slate tiles along the north western and south eastern elevations were also found to be present. In summary, from external inspection, the building presented as a tightly sealed, maintained structure without roosting opportunities.

The north eastern end of the building does not have a roof void given the skylight glazed section. The south western section of the building has a small void accessible via hatch from an office. The void was found to measure approx. 5m in length to a maximum of 2m in height with a sloping roof. The void was found to be clean, sealed and with no evidence of any bat activity.

Given the construction methodology of the building and associated lack of opportunity, the tightly sealed condition of the building in addition to absence of any evidence, it is considered that Oldfield House present a negligible level of roosting potential. Further surveys are considered to be neither necessary nor appropriate.

#### Vegetation/Foraging/Commuting

Following review of the AIA (as identified in section 2.3), 1 tree comprising a weeping willow (Identified as Target Note TN1 on the plan contained in Annex 3) in the north east of the site would be lost to the proposal. No other tree loss would be required to implement the proposal.

Following ground up inspection, it is noted that this tree contains a cavity and other deadwood in the stem. As such, it is considered to offer a '**moderate**' level of bat roosting potential that could be exploited by bats as part of a transitory roost.

As identified in section 4.1, the development site and wider school site contains trees. It is possible that bats would commute and forage across site and the wider area.

#### Impact Assessment

The Oldfield House building is considered to present a negligible level of bat roosting potential. Further surveys are considered to be neither necessary nor appropriate in respect of this building.

1 x tree (TN1) weeping willow requires removal as part of the proposal. Given the bat roosting potential presented by this tree following the ground up inspection undertaken, it is recommended that in order to fully determine potential suitability as a bat roost and to advise upon any further survey works as may or may not be necessary, TN1 weeping willow should be subject to climbing inspection by a licenced climbing ecologist.

No other tree loss would be required to implement the proposal, and it is reasonable to conclude that bat behaviours would be unaffected by the proposal given the scope of tree retentions therein. However, as an appropriate precautionary and enhancement recommendation, it is advised that a bat considerate lighting strategy be utilised during the implementation and operational phases.

Further recommendations have been provided in section 5.2.

#### **4.3.2. Badgers**

Badgers and active setts are afforded protection under the Protection of Badgers Act 1992.

No evidence of badger activity including active or inactive setts, latrines or footprints was identified in the proposed development area, or wider areas bounding site.

#### Impact Assessment

No active or inactive setts were found, with no evidence of badger activity identified in any location.

No further surveys are considered necessary or appropriate. However, general best practice precautions in respect of the demolition and construction phases have been provided in section 5.2 given the possibility of transitory presence of the species/transitory mammal species such as urban fox in the wider area.

#### **4.3.3. Nesting Birds**

Nesting birds and their eggs are protected under the Wildlife & Countryside Act 1981.

The Oldfield House building offers negligible nesting potential. With the exception of TN1 weeping willow, no trees would be lost to the proposal and the short sward

managed grassland does not provide ground nesting potential. Vegetation affected by the proposal would comprise small, managed shrubs which offer very limited nesting potential.

As general guidance prior to future works/maintenance, the bird breeding season is from March to September. If works to buildings/vegetation is proposed during the season, a check should be made for nests prior to works commencing. If nests are present, they should be left intact and undisturbed until the young have fledged.

#### Impact Assessment

Provided works are undertaken during appropriate seasonality/due diligence as recommended above, the proposals would not have any impact upon nesting birds.

Along with the retention of existing trees, new opportunities for nesting birds could be provided over and above the existing condition of the site through provision of nesting boxes integral or located onto proposed building, in addition to any new planting undertaken as part of the proposal.

Further recommendations in respect of enhancements have been made in section 5.2 and Annex 4.

#### **4.3.4. Reptiles**

Reptiles are afforded protection under the Wildlife & Countryside Act 1981, with smooth snake and sand lizard afforded full protection under the same act and the Conservation Regulations (Habitat Regulations).

The proposed development area comprises hard standing, short sward managed lawn grass and does not provide potentially suitable habitat. In addition, given the wider context of the site as a managed, operational school, in addition to wider offsite land uses (suburban residential and sports pitches), it is not considered reasonably likely that the development area would provide, nor have connectivity to habitat, and it is not considered reasonably likely that the proposal would result in any adverse impacts upon reptile species.

#### Impact Assessment

Based upon the evidence above, it is not considered reasonably likely that reptile species are present on site given lack connectivity to suitable offsite habitats and lack of suitable habitat on site. Therefore, the risk of potential impact of the proposals upon the conservation status of reptile is negligible. The risk of potential impact of the proposals upon individual reptiles is also considered to be low. No further surveys are necessary in respect of reptile species.

#### **4.3.5. Great Crested Newt**

Great crested newt is strictly protected under the Wildlife and Countryside Act 1981 and the Conservation Regulations (Habitat Regulations).



Given the land use of the site as an active school and ongoing management /disturbance as a result of that land use, it is not considered that the development area nor wider school offers potentially suitable habitat for the species.

Distance from a potentially suitable water body and intervening land use is a critical factor in determining suitability for the species. As such, a search using mapping data was undertaken to identify ponds within a 500m radius. No water bodies with any potential for terrestrial connectivity were identified.

Whilst it is acknowledged that small numbers of GCN have been known to range significant distances (1km) to colonise new ponds, sometimes over a number of years if connective habitat is suitable, research undertaken by English Nature<sup>1</sup> (now Natural England) indicates that it is most common to encounter them within 50m of a breeding pond, with few moving further than 100m unless significant linear features or suitable terrestrial habitat is involved, when great crested newts can be encountered at distances of between 150m – 200m. At distances greater than 200-250m great crested newts are hardly ever encountered. This valuation of habitats according to distance from great crested newt breeding ponds has also been adopted as part of Natural England's European Protected Species application form, with specific reference to the guidance provided by Natural England in WMLa14-2.

It is acknowledged that there is no way of identifying whether there are other small ponds that may be hidden within any nearby dwellings/field margins and not shown on maps. None were immediately visible from site/analysis of mapping data. Identification of such ponds located on private property and not shown on maps cannot be reasonably expected as part of this survey/desk study.

### Impact Assessment

Based upon the evidence above, it is not considered reasonably likely that great crested newt would be affected by or at risk from the development proposals. Risk of harm to the species is not considered a reasonable likelihood.

Consequently, it is considered that the risk of potential impact of the proposals upon the conservation status of great crested newt is negligible. The risk of potential impact of the proposals upon great crested newt is also negligible. No further surveys are considered necessary or appropriate in respect of this species at this site.

#### **4.3.6 Hazel Dormouse**

Hazel dormouse is strictly protected under the European Habitat Regulations and the Wildlife and Countryside Act 1981.

No potentially suitable habitats would be lost/impacted as a result of the proposal. The does not contain potentially suitable habitat.

### Impact Assessment

It is not considered reasonably likely that the proposal of such small scale would result in adverse impact upon the species. No further surveys are considered necessary or appropriate and the proposal would not have any impact upon the species.

#### **4.3.7 Invertebrates/Plant life**

Given the precedent of existing land use as a managed, operational school and limited vegetative diversity, the site is unlikely to support significant assemblages of invertebrates. No further surveys are considered to be necessary or appropriate.

Installation of new landscaping within any future proposal would provide invertebrate habitat on the site post-development. Night scented plant species such as evening primrose, honeysuckle and jasmine would also attract moths in the evening, which would in turn attract foraging bats.

Recommended enhancements are identified in section 5.2

#### **4.3.8 Other Species**

The site is not situated in a location, nor provides potentially suitable habitat where other protected species such as, water vole and otter would be considered at risk. No further surveys/precautions are considered necessary or appropriate.

#### **4.3.9 General Wildlife & Biodiversity**

It is acknowledged that the wider site and development area may be utilised by a range of transitory wildlife species including urban fox, hedgehog etc.

### Impact Assessment

As part of appropriate due diligence, it is advised that the full range of recommendations identified in section 5.2 be fully implemented, and all reasonable enhancements incorporated into a development proposal such that biodiversity is maximised as part of the development.

In addition, to enable wildlife to continue using the development area post development, it is advised that boundaries remain relatively open as per the current situation such that wildlife can continue to radiate in the area. This includes the use of permeable boundaries such as tree lines and hedgerows, in addition to leaving hedgehog gaps in any new fencing proposals.

## 5. Conclusion & Recommendations

### 5.1 Conclusion

The statutory designation search undertaken as part of the desk study identified that the site is not situated within nor bounding any statutory or non-statutory designated locations. It is not considered that the proposal would have any adverse impact upon statutory and non-statutory designated locations.

In summary, the wider John Lyon School (and proposed development area) is an operational school situated in a predominately sub-urban, developed location, and is therefore subject to management and disturbance as would be typically expected in such a land-use context. The development area is dominated by the existing Oldfield House building, hardstanding and short sward, managed amenity lawn.

The Oldfield House building is considered to present a negligible level of bat roosting potential. Further surveys are considered to be neither necessary nor appropriate in respect of this building.

1 x tree (TN1) weeping willow requires removal as part of the proposal. Given the bat roosting potential presented by this tree following the ground up inspection undertaken, it is recommended that in order to fully determine potential suitability as a bat roost and to advise upon any further survey works as may or may not be necessary, TN1 weeping willow should be subject to climbing inspection by a licenced climbing ecologist.

No other tree loss would be required to implement the proposal, and it is reasonable to conclude that bat behaviours would be unaffected by the proposal given the scope of tree retentions therein. However, as an appropriate precautionary and enhancement recommendation, it is advised that a bat considerate lighting strategy be utilised during the implementation and operational phases.

Further recommendations have been provided in section 5.2.

It is not considered reasonably likely that reptile or great crested newt species would be adversely affected by the development proposals.

No active or inactive badger setts were found, with no evidence of badger activity identified. No surveys have been advised. However, general appropriate precautionary measures for the demo/construction phases have been advised in section 5.2.

Appropriate recommendations in respect of due diligence relating to nesting birds and ecological enhancements have been made in section 5.2 of the report.

It is considered and concluded that the proposal can proceed without adverse impacts upon legally protected/priority species and habitats provided the specific mitigatory guidance and enhancement recommendations identified within section 5.2 are fully adhered to. Where necessary, appropriately worded conditions should

be placed upon any consent granted in order to ensure appropriate measures are followed.

## **5.2 Recommendations and Further Action**

Following the survey, the following recommendations have been made to ensure obligations in respect of protected species are met/the site is enhanced for the benefit of biodiversity if developed. The recommendations are considered to be appropriate and in context with the size of the proposals, and based upon the findings of the impact assessment section of the report (4.3.1 – 4.3.9).

### Target Note Tree TN1

- Given the bat roosting potential presented by TN1 weeping willow, it is recommended that in order to fully determine potential suitability as a bat roost and to advise upon any further survey works as may or may not be necessary, TN1 weeping willow should be subject to climbing inspection by a licenced climbing ecologist.
- It is advised that such works should be undertaken during winter, so that foliage does not obscure the structure of the tree, makes climbing easier and avoids conflict with the nesting bird season.

### Bats & Lighting

- In order to minimise risk of disturbance to potential features that may provide bat commuting and foraging habitat during the construction phase and as part of the completed development, a low impact lighting scheme is advised:
  - a) Brightness of lights should be as low as possible, and in accordance with British Standard Institute (BSI) and Bat Conservation Trust (BCT) guidance. Where possible, low pressure sodium lights are advised.
  - b) Lighting should not be directed at features that may be utilised by bats such as tree lines, hedgerows and water bodies/water courses.
  - c) Directional lighting and/or fittings with hoods and cowls should be utilised.
  - d) Where possible, security lighting should be motion sensitive and timers to minimise the amount of time that lights are on.
  - e) Where possible, directional low impact solar bollard lighting should be used to illuminate roads, paths and parking areas.

### Demolition/Construction Phase & General Precautions

- To protect any radiating mammals, it is recommended that any trenches be covered over with wooden sheeting at night and fencing off the

demolition/construction zone and associated compounds would be advisable during the demolition/construction phase.

#### Nesting Birds

- As general guidance, the bird breeding season is from March to September. If works to buildings/vegetation are proposed during the season, a check should be made for nests prior to works commencing. If nests are present, they should be left intact and undisturbed until the young have fledged.

#### Enhancements

- As part of the proposals, there are opportunities to enhance the proposals through provision of habitat boxes (bird/bat) on trees, in addition to new planting/hedgerow enhancement as part of the landscaping scheme. Suggested habitat boxes/plant species are provided within Annex 4.
- To enable wildlife to continue using the development area post development, it is advised that boundaries remain relatively open such that wildlife can continue to radiate in the area. This includes the use of permeable boundaries such as tree lines and hedgerows, in addition to leaving hedgehog gaps in any new fencing proposals.

## **1. Annex 1 – Legislation & Planning Policy**

### **1.1. Habitat Regulations**

The Conservation of Habitats and Species Regulations transpose Council Directive 92/43/EEC on the Conservation of Natural Habitats and Wild Flora and Fauna (Habitats Directive) into English law, making it an offence to deliberately capture, kill or disturb wild animals listed under Schedule 2 of the Regulations. It is also an offence to damage or destroy a breeding site or resting place of such an animal (even if the animal is not present at the time).

### **1.2. Wildlife & Countryside Act**

The Wildlife and Countryside Act 1981, as amended by the Countryside and Rights of Way Act (CROW) 2000 and the Natural Environment and Rural Communities Act (NERC) 2006, consolidates and amends existing national legislation to implement the Convention on the Conservation of European Wildlife and Natural Habitats (Bern Convention) and Council Directive 79/409/EEC on the Conservation of Wild Birds (Birds Directive), making it an offence to:

- Intentionally kill, injure or take any wild bird or their eggs or nests (with certain exceptions) and disturb any bird species listed under Schedule 1 to the Act, (which includes Cirl Bunting) or its dependent young while it is nesting;
- Intentionally kill, injure or take any wild animal listed under Schedule 5 to the Act; intentionally or recklessly damage, destroy or obstruct any place used for shelter or protection by any wild animal listed under Schedule 5 to the Act; intentionally or recklessly disturb certain Schedule 5 animal species while they occupy a place used for shelter or protection;
- Pick or uproot any wild plant listed under Schedule 8 of the Act.

Sites of Special Scientific Interest (SSSI) are designated under this Act.

Special Protection Areas (SPA) are strictly protected sites, designated under the Birds Directive, for rare and vulnerable birds and for regularly occurring migratory species.

### **1.3. Natural Environment & Rural Communities Act**

The NERC 2006 places a duty on authorities to have due regard for biodiversity and nature conservation during the course of their operations.

### **1.4. National Planning Policy Framework (NPPF)**

The NPPF has replaced PPS9 with paragraphs 163-170 in respect of conservation and biodiversity. ODPM 06/2005 remains in place. NPPF places a duty on planners to make material consideration to the effect of a development on legally protected species when considering planning applications, with a focus upon sustainable development.

### **1.5. Biodiversity Action Plans**

The UK Biodiversity Action Plan (UKBAP) (Anon, 1995) was organised to fulfil the Rio Convention on Biological Diversity in 1992, to which the UK is a signatory. A list of

national priority species and habitats has been produced with all listed species/habitats having specific action plans defining the measures required to ensure their conservation. Regional and local BAPs have also been organised to develop plans for species/habitats of nature conservation importance at regional and local levels.

### 1.6. Local Development Plans

County, District and Local Councils have Development Plans and other policy documents that include targets and policies which aim to maintain and enhance biodiversity. These are used by Planning Authorities to inform planning decisions.

### 1.7. Natural England Standing Advice

Natural England has adopted national standing advice for protected species. It provides a consistent level of basic advice which can be applied to any planning application that could affect protected species. It replaces some of the individual comments that Natural England has provided in the past to local authorities.

### 1.8. Bats

All species of bat found in the UK are protected by law and are designated as a protected species. Paragraph 98 of Circular 06/2005 states that *'the presence of a protected species is a **material consideration** when a planning authority is considering a development proposal that, if carried out, would be likely to result in harm to the species or its habitat.'*

Bats are protected under UK legislation under The Wildlife and Countryside Act 1981 through inclusion on Schedule 5 -Protected bat species in Britain. On a European basis, bats are subject to protection under the Conservation (Natural Habitats &c.) Regulations.

The November 2017 the Conservation (Natural Habitats &c.) Regulations make it an offence to:

- Intentionally or deliberately kill, injure or capture (take) bats.
- Intentionally or recklessly damage or destroy bat roosts or disturb bats.

A bat roost is defined as 'any structure or place which is used for shelter or protection', whether or not the bats are utilising the roost at the time. European protected animal species and their breeding sites or resting places are protected by the Habitat Regulations.

In this regard, it is an offence for anyone to deliberately capture, injure or kill any such animal or to deliberately take or destroy their young/eggs as applicable. It is also an offence to damage or destroy a breeding or resting place of a European Protected Species and it is an offence to possess a European Protected Species.

The threshold above which a person will commit the offence of deliberately disturbing a wild animal of a European protected species has been raised. A person will commit

an offence only if he deliberately disturbs such animals in a way as to be likely to significantly affect:

- The ability of any significant groups of animals of that species to survive, breed, or rear or nurture their young, or;
- The local distribution of abundance of that species.

The existing offences such as obstruction of a bat roost, low-level disturbance, and sale which cover European Protected Species under the Wildlife and Countryside Act (1981) continue to apply.



## 2. Annex 2 – Photographs



Entrance into development area of school



South western elevation of Oldfield House



North eastern elevation of Oldfield House



North western elevation of Oldfield House



South eastern elevation of Oldfield House



Tightly sealed, intact tiles on roof



Soffit, gutter and tiles forming a tight, intact seal around the building



Tight sealed concrete undercroft at building entrance



Glazed lobby interior – second floor



Roof void in south west of the building. Sealed and no evidence of bats



Roof void in south west of the building. Sealed and no evidence of bats



Target Note Tree (TN1) Weeping Willow



Moderate roosting potential opportunities – TN1 Weeping Willow



Main body of site looking south west towards main school building



Northern section of site




Managed amenity grass in east/north east of site














Southern section of site.

### **3. Annex 3 – Habitat Plan**



- KEY**
-  Survey boundary
  -  Broad-leaved tree
  -  Coniferous tree
  -  Amenity grassland
  -  Introduced shrub
  -  Concrete / gravel hardstanding
  -  Building
  -  Target note

Project	Extended Phase 1 Habitat Survey		
Client	John Lyon School		
Drawn by	MH917-01		
Scale	NTS	@A4	Dec 2018
<b>T4 ECOLOGY LTD</b>			
<small>ECOLOGICAL CONSULTANTS</small>			
			

## **4. Annex 4 – Recommended Enhancements**

The following hedgerows/shrub and smaller tree species could be utilised accordingly:

- Hawthorn *Crataegus monogyna*
- Ash *Fraxinus excelsior*
- English Elm *Ulmus procera*
- Field Maple *Acer campestre*
- Hazel *Corylus avellana*
- Dog Rose *Rosa canina*
- Elderberry *Sambucus nigra*
- Holly *Ilex aquifolium*
- Blackthorn *Prunus spinosa*
- Rowan *Sorbus aucuparia*
- Guelder Rose *Viburnum opulus*
- Silver Birch *Betula pendula*
- Alder *Alnus glutinosa*
- Cotoneaster spp.
- Spindle *Euonymus europaeus*

The following species could also be considered within the landscaping scheme as appropriate, given their wildlife friendly/native characteristics:

- *Viburnum* sp.
- Californian Lilac *Ceanothus* sp.
- Lavander *Lavandula angustifolia*
- Hebe Sp.
- Privet *Ligustrum vulgare*
- Dogwood *Cornus sanguinea*

In addition, vertical areas on sides of buildings and/or boundary fences could be utilised to provide additional habitat. Suitable species to grow on vertical habitats could include:

- Ivy *Hedera helix*
- Clematis *vitalba*
- Honeysuckle *Lonicera periclymenum*

Bulbs and small, wildlife friendly annuals and biennials can also be utilised within wildlife friendly and garden planting where considered appropriate by the landscape architect. Suitable species could include:

- *Hypericum perforatum*

- Wood Anemone *nemorosa*
- Tustan *Hypericum androsaemum*
- Foxglove *Digitalis grandiflora*
- Bluebell *Hyacinthoides non-scripta*

Dependant on soil condition, British Seed House RE1 mix (or similar product) is recommended for installation of the species rich grass areas where required. Alternatively, turf already seeded with wild flower seed could be utilised.

Recommend species are likely to include:

- Slender Creeping Red Fescue *Festuca rubra ssp litoralis*
- Crested Dogs Tail *Cynosurus cristatus*
- Common Bent *Agrostis capillaris*
- Cocksfoot *Dactylis glomerata*
- Meadow Fescue *Festuca pratensis*
- Golden Oat Grass *Trisetum Flavascence*
- Sweet Vernal Grass *Anthoxanthum odoratum*
- Ribwort Plantain *Plantago lanceolata*
- Yarrow *Achillea millefolium*
- Common Knapweed *Centaurea nigra*
- Meadow Sweet *Filipendula ulmaria*
- Lady's Bedstraw *Galium verum*
- Ox eye daisy *Leucanthemum vulgare*
- Self Heal *Prunella vulgaris*
- Meadow Buttercup *Ranunculus acris*
- Bulbous Buttercup *Ranunculus bulbosus*
- Agrimony *Agrimonia eupatorium*
- Rough Hawkbit *Leontodon hispidus*
- Yellow Rattle *Rhinanthus minor*
- Common Birdsfoot Trefoil *Lotus corniculatus*
- Salad Burnett *Sanguisorba minor*
- Harebell *Campanula rotundifolia*
- Cowslip *Primula deorum*
- Field Poppy *Papaver Rhoeads*
- Wild Thyme *Thymus Serpyllum*
- Quaking Grass *Briza Media*
- Pignut *Conopodium majus*

## Using Seeds

### Seed Bed Preparation

Whilst seeds can be sown at any time, the best time to prepare the meadow bed is summer. The top grass, and top inch of top soil should be removed if possible. The most important factor is to ensure that the seed bed is weed free, and level using roller/rake. Also, remove stones in areas of seedbed, Wildflower meadows from seed are most successful when soil fertility is low and weeds can be less vigorous.

### Sowing Seed

The best time to sow the seeds is in spring or early autumn. Spread seeds in a sand mix using a spreader for even distribution at a density of approx. 4 grams per sq. metre.

## Using Plugs

Use of wildflower plugs is generally more reliable, and gives quicker results than using seed. However, over large areas, density of plugs can be reduced, with 1 or 2 plugs per square metre. Generally, plugs can be installed at any time but spring/autumn are optimum months.

## Using Turf Impregnated with seeds

Use of turf less dependent on soil conditions as the seed are already in place. This enables more variety of species. However, to be successful, it should be installed in free draining areas that do not become water logged.

Wildflower Plugs and seeds are available from a number of online suppliers:

[www.wigglywigglers.co.uk](http://www.wigglywigglers.co.uk)

[www.bostonseeds.co.uk](http://www.bostonseeds.co.uk)

[www.wildflowershop.co.uk](http://www.wildflowershop.co.uk)

[www.reallywildflowers.co.uk](http://www.reallywildflowers.co.uk)

[www.wildflower.org.uk](http://www.wildflower.org.uk)

[www.meadowmania.co.uk](http://www.meadowmania.co.uk)

Sections of turf already seeded are also available from the following suppliers:

[www.meadowmat.co.uk](http://www.meadowmat.co.uk)

[www.wildflowerturf.co.uk](http://www.wildflowerturf.co.uk)

[www.wigglywigglers.co.uk](http://www.wigglywigglers.co.uk)

### Habitat Boxes.

The use of bird and bat boxes has been recommend. Suitable products include:



Standard Bird Box-Suitable for a wide variety of species. Can be installed in trees and buildings.



Schwegler 2F Bat box. Suitable for attachment to trees.



### **Buildings-Integral Bat Boxes**

The construction of new buildings presents the opportunity for integral bat boxes, installed during the construction phase.

Products such as the Ibstock Range ([www.ibstock.com](http://www.ibstock.com)) would be appropriate for installation in the eaves of the new dwellings, as installed as illustrated below:



*Ibstock Integral Bat Box*


It is considered that the installation of one such integral bat box on the south/east facing eave of each new building would be appropriate, installed in accordance with the specific manufacturers recommendations.

### **Aftercare**

Bats are a protected species, and any object they utilise for roosting is therefore also protected. Therefore, following installation the bat boxes should not be disturbed, as disturbance may result in an offence under the Wildlife and Countryside Act (1981) and the European Habitat Regulations (2010). Bat boxes are very robust and will not require maintenance, and therefore are at their most effective if left undisturbed.

### **Buildings-Integral Bird Boxes**

2 x integral bird boxes should be installed on the north/east facing eaves. A system such as the Bird Brick House ([www.birdbrickhouses.co.uk](http://www.birdbrickhouses.co.uk)) as illustrated below is recommended, installed in accordance with the manufacturers specific recommendations.



*Bird Brick House System*

### **Installation**

The following should be taken into account in consideration during the installation of bird boxes suitable for a wide variety of common garden species.

- These should be placed away from cats, and at least 2m from ground level.
- These should where possible be located away from direct sunlight, ideally facing between north and east (not south), away from cats, and at 2-5m height.
- They should also be out of reach of windows when placed upon buildings.